





## Serie 5

- DESIGN
- ADJUSTABLE
- REVERSIBLE
- MULTIFUNCTIONAL
- UNIVERSAL



The contemporary new **DESIGN** is only one of the significant new features of the **SERIE 5**.

ADJUSTABLE BACKSET SIZE: settable to 50, 60, 70 or 80 mm.

**REVERSIBLE**: the lock can be inverted with a few simple settings.

**MULTIFUNCTIONAL:** a choice of three internal control configurations is available in a single lock: cylinder only, cylinder and button or button only.

**UNIVERSAL:** an additional code of the latch only lock (with one product code only) comes complete with special accessories for installation on either steel gates or wooden main entrance doors.

**SERIE 5** increases performance while reducing the number of different product codes necessary: **148 conventional lock product codes have been replaced by just 12 codes**, cutting warehousing costs drastically throughout the entire distribution network.



- Less product codes to handle for the wholesaler, improving the quality of the service offered to clients.
- Less shelf space usage for the retailer while still stocking solutions catering for the same number of applications as before.
- Locksmiths and installers no longer need to know the type of lock to be replaced on site.
- · Locksmiths can always find the lock that they need when they need it.





**52N SERIES**Electric rim locks with **LATCH ONLY** 



53N SERIES
Electric rim locks
with LATCH AND
DEADBOLT





51N SERIES
Electric rim locks with
LATCH ONLY
FOR OUTWARD
OPENING DOORS







As a combined result of these features, it has been possible to replace 148 conventional locks product codes with just 12 new product codes.

REDUCED WAREHOUSE SPACE USAGE AND COSTS, INCREASED STOCK AVAILABILITY AND QUICKER DELIVERY TIMES.



All locks have an adjustable backset measurement, settable to 50, 60, 70 or 80 mm. REDUCED STOCKS, WITH LOCK SET ON SITE.



All LATCH ONLY locks are reversible (LATCH AND DEADBOLT version is not reversible).

REDUCED STOCKS, WITH LOCK SET ON SITE.




Version with 2 throw 10+10 mm deadbolt and 23 mm overall protrusion.

EXTRA-SECURE DOOR CLOSURE.



LATCH ONLY version also available in stainless steel. FOR USE ON STAINLESS STEEL GATES OR IN HIGHLY CORROSIVE ENVIRONMENTAL CONDITIONS.



Lock mounting plate and keep backing with alignment markings TO FACILITATE INSTALLATION.

- Easily interchangeable with all main products on market today.
   EASY REPLACEMENT.
- Power supply: 12 V AC 15 W 1.25 A;
- Lock in ISEO marbled grey paint finish;
- 3 keys included.
- All settings made directly on lock, even just before definitive fastening. IT IS NOT NECESSARY TO KNOW DETAILS OF LOCK TYPE NEEDED ON SITE BEFORE INSTALLATION.





## Electric rim locks with LATCH ONLY

**52N SERIES** 

ADJUSTABLE, REVERSIBLE AND MULTIFUNCTIONAL.

Just 4 new product codes replacing 76 conventional locks.

ALL-NEW: The single additional UNIVERSAL product code replaces 48 conventional locks. Comes complete with special accessories transforming a fixed cylinder into a detached cylinder and a unified keep for both steel and wood frames.

Manufactured by **ISEO** with 70 mm backset 70 and in right hand configuration.



| CONVENTIONAL LOCKS |                      |             |                             |             |                               |           |                      | UNIVERSAL         |
|--------------------|----------------------|-------------|-----------------------------|-------------|-------------------------------|-----------|----------------------|-------------------|
| TYPE               | EXTERNAL<br>CYLINDER | CASE SIZES  | RIGHT/<br>LEFT HAND CONTROL |             | No. PRODUCT COD ELETTRICA 200 |           | NEW PRODUCT<br>CODES | 1 PRODUCT<br>CODE |
| - F                |                      | 50-60-70-80 | RH                          | Cylinder    | 4                             | 520010**5 | 52N015               | 52N005            |
|                    |                      | 50-60-70-80 | LH                          | Cylinder    | 4                             | 520020**5 |                      |                   |
|                    |                      | 50-60-70-80 | RH                          | Button only | 4                             | 520110**5 |                      |                   |
|                    |                      | 50-60-70-80 | LH                          | Button only | 4                             | 520120**5 |                      |                   |
|                    | 1                    | 50-60-70-80 | RH                          | Cyl.+Button | 4                             | 520310**5 |                      |                   |
|                    |                      | 50-60-70-80 | LH                          | Cyl.+Button | 4                             | 520320**5 |                      |                   |
| 6                  |                      | 50-60-70-80 | RH                          | Cylinder    | 4                             | 521010**5 | 52N115               |                   |
|                    | -                    | 50-60-70-80 | LH                          | Cylinder    | 4                             | 521020**5 |                      |                   |
|                    |                      | 50-60-70-80 | RH                          | Button only | 4                             | 521110**5 |                      |                   |
|                    |                      | 50-60-70-80 | LH                          | Button only | 4                             | 521120**5 |                      |                   |
|                    |                      | 50-60-70-80 | RH                          | Cyl.+Button | 4                             | 521310**5 |                      |                   |
|                    |                      | 50-60-70-80 | LH                          | Cyl.+Button | 4                             | 521320**5 |                      |                   |
|                    |                      | 50-60-70-80 | RH                          | Cylinder    | 4                             | 525010**5 |                      |                   |
|                    | 0                    | 50-60-70-80 | LH                          | Cylinder    | 4                             | 525020**5 | 52N515               |                   |
|                    |                      | 50-60-70-80 | RH                          | Cyl.+Button | 4                             | 525310**5 |                      |                   |
|                    |                      | 50-60-70-80 | LH                          | Cyl.+Button | 4                             | 525320**5 |                      |                   |
| inco in the second |                      | 60-70-80    | RH                          | Cylinder    | 3                             | 520010**2 |                      |                   |
|                    |                      | 60-70-80    | LH                          | Cylinder    | 3                             | 520020**2 | E2N012               |                   |
|                    |                      | 60-70-80    | RH                          | Cyl.+Button | 3                             | 520310**2 | 52N012               |                   |
|                    |                      | 60-70-80    | LH                          | Cyl.+Button | 3                             | 520320**2 |                      |                   |



Electric rim locks with LATCH AND DEADBOLT

**53N SERIES** 


ADJUSTABLE AND MULTIFUNCTIONAL, BUT NOT REVERSIBLE.

Just 6 new product codes replacing 48 conventional locks.

Manufactured by **ISEO** with 60 mm backset and in right hand configuration







| CONVENTIONAL LOCKS |                      |             |                     |                     |     |                                 | Serie 5              |
|--------------------|----------------------|-------------|---------------------|---------------------|-----|---------------------------------|----------------------|
| TYPE               | EXTERNAL<br>CYLINDER | CASE SIZES  | RIGHT/<br>LEFT HAND | INTERNAL<br>CONTROL | No. | PRODUCT CODES<br>ELETTRICA 2001 | NEW PRODUCT<br>CODES |
|                    |                      | 50-60-70-80 | RH                  | Cylinder            | 4   | 530010**5                       | 53N0151              |
|                    |                      | 50-60-70-80 |                     | Cyl.+Button         | 4   | 530210**5                       |                      |
|                    |                      | 50-60-70-80 | LH                  | Cylinder            | 4   | 530020**5                       | 53N0152              |
|                    |                      | 50-60-70-80 |                     | Cyl.+Button         | 4   | 530220**5                       |                      |
|                    |                      | 50-60-70-80 | RH                  | Cylinder            | 4   | 535010**5                       | 53N5151              |
|                    |                      | 50-60-70-80 |                     | Cyl.+Button         | 4   | 535210**5                       |                      |
|                    |                      | 50-60-70-80 |                     | Cylinder            | 4   | 535020**5                       | 53N5152              |
|                    |                      | 50-60-70-80 | LH                  | Cyl.+Button         | 4   | 535220**5                       |                      |
|                    | <b>65</b>            | 50-60-70-80 | RH                  | Cylinder            | 4   | 531010**5                       | 53N1151              |
|                    |                      | 50-60-70-80 |                     | Cyl.+Button         | 4   | 531210**5                       |                      |
|                    |                      | 50-60-70-80 | LH                  | Cylinder            | 4   | 531020**5                       | 53N1152              |
|                    |                      | 50-60-70-80 |                     | Cyl.+Button         | 4   | 531220**5                       |                      |



Electric
rim locks with
LATCH ONLY
FOR OUTWARD
OPENING DOORS


**51N SERIES** 

ADJUSTABLE, REVERSIBLE, AND MULTIFUNCTIONAL.

Just 2 new product codes replacing.
24 conventional locks.


Manufactured by **ISEO**. with 70 mm backset and in right hand configuration.






## CONDITIONS FOR INSTALLATION ON OUTWARD OPENING DOORS

- DIMENSION C: max. centre distance between hinge and inner door edge 80 mm
- DIMENSION P: min. door width 900 mm
- DIMENSION E: max. distance between lock and keep 9 mm



| CONVENTIONAL LOCKS |                      |             |                     |                     |     |                                 | Serie 5           |
|--------------------|----------------------|-------------|---------------------|---------------------|-----|---------------------------------|-------------------|
| ТҮРЕ               | EXTERNAL<br>CYLINDER | CASE SIZES  | RIGHT/<br>LEFT HAND | INTERNAL<br>CONTROL | No. | PRODUCT CODES<br>ELETTRICA 2001 | NEW PRODUCT CODES |
|                    |                      | 50-60-70-80 | RH                  | Cylinder            | 4   | 510010**5                       | 51N015            |
|                    |                      | 50-60-70-80 | LH                  | Cylinder            | 4   | 510020**5                       |                   |
|                    |                      | 50-60-70-80 | RH                  | Cyl.+Button         | 4   | 510310**5                       |                   |
|                    |                      | 50-60-70-80 | LH                  | Cyl.+Button         | 4   | 510320**5                       |                   |
|                    |                      | 50-60-70-80 | RH                  | Cyl.+Button         | 4   | 511310**5                       | 51N115            |
|                    |                      | 50-60-70-80 | LH                  | Cyl.+Button         | 4   | 511320**5                       |                   |







## THE **ISEO** GROUP

ISEO IS A GROUP WITH SIGNIFICANT INTERNATIONAL PRESENCE. IT IS AN ALTERNATIVE TO BRANDS OWNED BY LARGE FINANCIAL HOLDINGS.

A TEAM OF COMPANIES, EACH WITH THEIR OWN MANAGEMENT, AREA OF SPECIALISATION, ENTREPRENEURIAL SKILLS AND PRODUCTION PLANTS, WHICH WORK TOGETHER IN SYNERGY TO OFFER THE CLIENT THE BEST POSSIBLE PRODUCTS AND SERVICE QUALITY.



Iseo Serrature s.p.a. Via San Girolamo 13 25055 Pisogne (BS) Italy Tel. + 39 0364 8821 iseo@iseo.com